


TOP-LINE





Tournage arrière
Rückwärts drehen
Back turning

713-30° / 723-30°

L



R








E	L	L1	Art. N°	TiAlN	TiN	N (µk20)	HTA	HTiN	HN (µk10)	Art. N°	TiAlN	TiN	N (µk20)	HTA	HTiN	HN (µk10)
0.8	1.6	0.85	713-30-0.8	■	■	■				723-30-0.8	■	■	■	■	□	■
0.9	1.6	1.05	713-30-0.9	■	■	■				-						
1.0	2.0	1.2	713-30-1.0	■	■	■	■	□	■	723-30-1.0	■	■	■	■	□	■
1.1	2.0	1.4	713-30-1.1	■	■	■				-						
1.2	2.5	1.55	713-30-1.2	■	■	■				723-30-1.2	■	■	■			
1.3	2.5	1.7	713-30-1.3	■	■	■				-						
1.4	3.0	1.9	713-30-1.4	■	■	■				-						
1.5	3.0	2.1	713-30-1.5	■	■	■	■	■	■	723-30-1.5	■	■	■	■		
1.8	4.0	2.6	713-30-1.8	■	■	■				723-30-1.8	■	■	■			
2.0	4.0	2.9	713-30-2.0	■	■	■	■	■	■	723-30-2.0	■	■	■			

Tournage arrière
 Rückwärts drehen
 Back turning

713-45° / 723-45°

L

R



E	L	L1	Art. N°	TiAlN	TiN	N (µk20)	HTA	HTiN	HN (µk10)	Art. N°	TiAlN	TiN	N (µk20)	HTA	HTiN	HN (µk10)
0.8	1.6	0.5	713-45-0.8	■	■	■	■	□	■	723-45-0.8	■	■	■			
0.9	1.6	0.6	713-45-0.9	■	■	■				-						
1.0	2.0	0.7	713-45-1.0	■	■	■	■	□	■	723-45-1.0	■	□	■			
1.1	2.0	0.8	713-45-1.1	■	■	■				-						
1.2	2.5	0.9	713-45-1.2	■	■	■				723-45-1.2	■	■	■			
1.3	2.5	1.0	713-45-1.3	■	■	■				-						
1.4	3.0	1.1	713-45-1.4	■	■	■				-						
1.5	3.0	1.2	713-45-1.5	■	■	■	■	■	■	723-45-1.5	■	□	■			
1.8	4.0	1.5	713-45-1.8	■	■	■				723-45-1.8	■	□	■			
2.0	4.0	1.7	713-45-2.0	■	■	■				723-45-2.0	■	■	■			


■ = disponible / verfügbar / available
 □ = selon disponibilité du stock / jenach Lagerverfügbarkeit / depending on stock availability

TOP-LINE




Tournage arrière
Rückwärts drehen
Back turning

713-60° / 723-60°

L



R



E	L	L1	Art. N°	TiAlN	TiN	N (µk20)	Art. N°	TiAlN	TiN	N (µk20)
0.8	1.6	0.3	713-60-0.8	■	■	■	723-60-0.8	■	■	■
0.9	1.6	0.35	713-60-0.9	■	■	■	-			
1.0	2.0	0.4	713-60-1.0	■	■	■	723-60-1.0	■	□	■
1.1	2.0	0.45	713-60-1.1	■	■	■	-			
1.2	2.5	0.5	713-60-1.2	■	■	■	723-60-1.2	■	□	■
1.3	2.5	0.6	713-60-1.3	■	■	■	-			
1.4	3.0	0.65	713-60-1.4	■	■	■	-			
1.5	3.0	0.7	713-60-1.5	■	■	■	723-60-1.5	■	■	■
1.8	4.0	0.9	713-60-1.8	■	■	■	723-60-1.8	■	□	■
2.0	4.0	1.0	713-60-2.0	■	■	■	723-60-2.0	■	■	■